

New PharmD Student Health Requirements Checklist

Immunization Documentation Guidelines

Records must be physically or electronically signed, stamped or authorized by health care provided (no fill labels, receipts, or insurance claims forms - these are not official records)

Immunization records and lab reports must be typed or electronic (no handwritten records)

No photographs or screenshots. Documents must be high resolution print-quality scan or electronic records.

Some examples of **acceptable** formats include:

- State immunization registry (preferred)
- UNC Campus Health Immunization form
(transcribed from handwritten records and authenticated by signature or stamp of healthcare provider where indicated)
- Records from undergraduate health services center
- Output from online health portal (portal-generated PDF)
[e.g.; pediatrician or primary care provider]
- Official high school transcript

Diphtheria / Tetanus / Pertussis

DTaP	DTP	DT	Td	Tdap
------	-----	----	----	------

_____ THREE (3) tetanus-component vaccines [minimum]

_____ One Tdap tetanus-component vaccine (part of 3 vaccines above)

_____ Tetanus status is current

(last immunization after May 2014)

Titers are not accepted for this requirement

Hepatitis B Series

_____ Completion of a primary series

(3 Hep B doses or 2 dose

Heplisav B series is acceptable)

If you do not have the series, begin the series **immediately**. It can take up to seven (7) months to complete this requirement.

Series must be completed before titer

New PharmD Student Health Requirements Checklist

Hepatitis B Titer

_____ QUANTITATIVE Hep B **Surface Antibody** Titer

_____ Titer shows positive with immunity

NOTE: Qualitative titer is acceptable ONLY IF there is a numerical reference range/index (ie "Consistent with immunity: >9.9mIU/mL)

NEGATIVE TITER: (consult physician; follow below)

- If your titer was inadequate after the primary series, you need a booster Hepatitis B vaccine and recheck the titer 1-2 months after this dose. If this repeat titer is still inadequate, a second series needs to be completed before a final titer is done (1-2 months after completion of this second series). **Note:** If you had a recent primary hepatitis B series (e.g. within the past year) AND the subsequent HBsAb titer was inadequate, then it is preferred that you get a repeat Hepatitis B series and have the final HBsAb titer done after the last vaccine dose.
- If you have received 2 completed series and are still unable to obtain an adequate serological titer, you are considered a "non-responder" and must be evaluated by a Campus Health provider.

Measles, Mumps, Rubella (MMR)

_____ TWO (2) MMR vaccines

OR

_____ TWO (2) Measles

_____ TWO (2) Mumps

_____ ONE (1) Rubella

OR

_____ Positive titer for Measles

_____ Positive titer for Mumps

_____ Positive titer for Rubella

OR

A combination of the above to sufficiently establish immunity

New PharmD Student Health Requirements Checklist

Varicella (chickenpox)

____ TWO (2) varicella vaccines

OR

____ Positive titer for Varicella

Polio

An individual attending school who has attained their 18th birthday is not required to receive polio vaccine.

Tuberculosis (TB)

____ TB Blood Test: Quantiferon Gold or Tspot

____ Lab report shows positive for Immunity

OR

____ Two-Step Skin Test(TST) (requires 4 visits; 2 for test placements
& 2 for results)

____ Readings are 24 - 48 hours after placement

____ At least one week between tests

____ Documentation shows **for each test**

place read, read date, mm of induration, provider, and student
information

- If the first or second TST is positive, you are required to meet with a Campus Health medical provider. NOTE: If a TST was placed within the previous 12 months and it was negative, it is acceptable to only do 1 additional TST to meet the 2-step requirement.
- If you have a history of a positive TB screening test (TST or Blood test), please make an appointment with a Campus Health provider for further evaluation and clearance. Please bring previous records to this meeting.
- For each subsequent year, either an annual TB screening test or a TB questionnaire administered by a nurse or physician will be required. The questionnaire is only done if you have had a positive TB screening test.

Note: For individuals who have had the BCG vaccine, the TB blood test is preferred over the skin test, but ultimately, please follow the requirements from your health science school.